


LEDDriving HL XLZ CLASSIC



**COOL
WHITE
6000
KELVIN**

**Temperatura de cor branco frio de até
6000 K**

Branco legal elegante

**ENHANCED
LIGHT
DISTRIBUTION**

**Descrição aprimorada da distribuição de
luz**

Com boa distribuição de luz, traz
melhor efeito visual



Fácil de instalar

Economia de energia, instalação rápida,
luz instantânea

LED HL XLZ CLASSIC



Ficha técnica da família de produto

Dados técnicos



Descrição do produto	Informação de Produto		Informações Gerais do Produto	Dados Elétricos	
	Tipo Produto (fora est. vs para estrada)	Aplicação (específico por cat. e prod.)	Referência do pedido	Tensão nominal	Potência nominal
LEDriving XLZ CLASSIC ≙ H1	Off-road ≙ H1	Mainly used for headlight/ fog light applications	66150CWCB1	12.0	18
LEDriving XLZ CLASSIC ≙ H4	Off-road ≙ H4	Mainly used for headlight/ fog light applications	66204CW CBI		18
LEDriving XLZ CLASSIC ≙ H7	Off-road ≙ H7	Mainly used for headlight/ fog light applications	65210CWCB1	12.0	18
LEDriving XLZ CLASSIC ≙ H8/H11/H16	Off-road ≙ H8/H11/H16	Mainly used for headlight/ fog light applications	66211CW CBI	12.0	18
LEDriving XLZ CLASSIC ≙ HB3/HB4	Off-road ≙ HB3/HB4	Mainly used for headlight/ fog light applications	69005/6CWCB1	12.0	18

Descrição do produto	Tensão de teste	Dados fotométricos		Physical Attributes & Dimensions
		Fluxo luminoso	Tolerância do fluxo luminoso	Diâmetro
LEDriving XLZ CLASSIC ≙ H1	13,2	1500	±10	11.0
LEDriving XLZ CLASSIC ≙ H4	13,2	1500	±10	13.8
LEDriving XLZ CLASSIC ≙ H7	13,2	1500	±10	12.8
LEDriving XLZ CLASSIC ≙ H8/H11/H16	13,2	1500	±10	12.8
LEDriving XLZ CLASSIC ≙ HB3/HB4	13,2	1500	±10	12.8

Descrição do produto	Atributos	Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)		
	Tecnologia	Date of Declaration	Primary Article Identifier	Declaration No. in SCIP database
LEDriving XLZ CLASSIC ≙ H1	LED	26-06-2024	4062172063876	In work
LEDriving XLZ CLASSIC ≙ H4	LED	26-06-2024	4062172063708	In work
LEDriving XLZ CLASSIC ≙ H7	LED	26-06-2024	4062172063753	In work
LEDriving XLZ CLASSIC ≙ H8/H11/H16	LED	26-06-2024	4062172063784	In work
LEDriving XLZ CLASSIC ≙ HB3/HB4	LED	26-06-2024	4062172063814	In work

Ficha técnica da família de produto

Download Data

Arquivo	
	User instruction COOL BLUE INTENSE LED
	Brochures LEDriving Retrofits - Exchange overview (EN)

Informações sobre aplicações

Para obter mais informações sobre aplicações e gráficos acesse a ficha técnica do produto.

Retratação

Sujeito a alteração sem prévio aviso. Sempre utilize a versão mais recente.